

**DANH SÁCH CÁC BÀI BÁO
ĐƯỢC CẬP NHẬT TRÊN MATHSCINET
TRONG NĂM 2009**

1. [Duong Minh Duc; Tran Minh Binh; Nguyen Duy Thanh](#) On partially elliptic and coercive boundary problems. *Vietnam J. Math.* 37 (2009), no. 2-3, 255–272. [47H07 \(35J62\)](#)
2. [Hai, Bui Xuan; Thin, Nguyen Van](#) On locally nilpotent subgroups of $\mathrm{GL}_1(D)$. *Comm. Algebra* 37 (2009), no. 2, 712–718. (Reviewer: Gabriela Olteanu) [16K20](#)
3. [Hung, Nguyen-Xuan; Bordas, Stéphane Pierre Alain; Hung, Nguyen-Dang](#) Addressing volumetric locking and instabilities by selective integration in smoothed finite elements. *Comm. Numer. Methods Engrg.* 25 (2009), no. 1, 19–34. [74S05 \(65N30\)](#)
4. [Nguyen-Xuan, H.; Liu, G. R.; Nguyen-Thoi, T.; Dai, K. Y.; Lam, K. Y.](#) Letter to the editor: On the essence and the evaluation of the shape functions for the smoothed finite element method (SFEM) [MR2466780]. *Internat. J. Numer. Methods Engrg.* 77 (2009), no. 13, 1863–1869. [65N30](#)
5. [Nguyen-Xuan, H.; Liu, G. R.; Nguyen-Thoi, T.; Xu, X.](#) A novel Galerkin-like weakform and a superconvergent alpha finite element method (S\$\\alpha\$FEM) for mechanics problems using triangular meshes. *J. Comput. Phys.* 228 (2009), no. 11, 4055–4087. [74G15 \(74S05\)](#)
6. [Nguyen-Xuan, H.; Nguyen-Thoi, T.](#) A stabilized smoothed finite element method for free vibration analysis of Mindlin-Reissner plates. *Comm. Numer. Methods Engrg.* 25 (2009), no. 8, 882–906. [74K20 \(65N30 74H45 74S05\)](#)
7. [Nguyen-Xuan, H.; Nguyen-Thoi, T.; Liu, G. R.; Vu-Do, H. C.](#); An edge-based smoothed finite element method for visco-elastoplastic analyses of 2D solids using triangular mesh. *Comput. Mech.* 45 (2009), no. 1, 23–44. [74S05 \(74C05 74D10\)](#)
8. [Nguyen-Xuan, H.; Nguyen-Thoi, T.; Liu, G. R.](#); Additional properties of the node-based smoothed finite element method (NS-FEM) for solid mechanics problems. *Int. J. Comput. Methods* 6 (2009), no. 4, 633–666. [74S05 \(65N30\)](#)
9. [Khanh, Phan Quoc; Hai, Nguyen Xuan; Quan, Nguyen Hong](#) Some existence theorems in nonlinear analysis for mappings on GFC-spaces and applications. *Nonlinear Anal.* 71 (2009), no. 12, 6170–6181. [91B50 \(47H10 54H25\)](#)
10. [Khanh, Phan Quoc; Hai, Nguyen Xuan; Quan, Nguyen Hong](#) On the existence of solutions to quasivariational inclusion problems. *J. Global Optim.* 45 (2009), no. 4, 565–581. [49J40 \(47J20 90C47 91B50\)](#)
11. [Phan Quoc Khanh; Lam Quoc Anh](#); Sensitivity analysis for weak and strong vector quasiequilibrium problems. *Vietnam J. Math.* 37 (2009), no. 2-3, 237–253. [90C29 \(49K40\)](#)
12. [Phan Quoc Khanh; Nguyen Hong Quan](#) Existence conditions for quasivariational inclusion problems in \$G\$-convex spaces. *Acta Math. Vietnam.* 34 (2009), no. 1, 1–10. [49J40 \(91B50\)](#)
13. [Khanh, P. Q.; Tuan, N. D.](#) Optimality conditions using approximations for nonsmooth vector optimization problems under general inequality constraints. *J. Convex Anal.* 16 (2009), no.

1. 169–186. (Reviewer: Riccardo Cambini) [90C29 \(90C46 90C48\)](#)
14. Khanh, Phan Quoc; Quan, Nguyen Hong; Yao, Jen-Chih Generalized KKM-type theorems in GFC-spaces and applications. [Nonlinear Anal.](#) 71 (2009), no. 3-4, 1227–1234. (Reviewer: Won Kyu Kim) [47H04 \(47H10 49J35 54H25 55M20\)](#)
15. Khanh, Phan Quoc; Anh, Lam Quoc; Van, Dang Thi My; Yao, Jen-Chih Well-posedness for vector quasiequilibria. [Taiwanese J. Math.](#) 13 (2009), no. 2B, 713–737. (Reviewer: Alejandro Balbas) [49K40 \(90C29 90C31 90C48\)](#)
16. Khanh, P. Q.; Anh, L. Q.; Hölder continuity of the unique solution to quasiequilibrium problems in metric spaces. [J. Optim. Theory Appl.](#) 141 (2009), no. 1, 37–54. (Reviewer: S. Rolewicz) [49J40 \(47J20 47N10 49K40\)](#)
17. Long, Nguyen Thanh; Truong, Le Xuan; Ngoc, Le Thi Phuong; The n -order iterative schemes for a nonlinear Kirchhoff-Carrier wave equation associated with the mixed inhomogeneous conditions. [Appl. Math. Comput.](#) 215(2009), no. 5, 1908–1925. [35L72 \(35A35\)](#)
18. Nguyen Thanh Long; Le Thi Phuong Ngoc On nonlinear boundary value problems for nonlinear wave equations. [Vietnam J. Math.](#) 37 (2009), no. 2-3, 141–178. (Reviewer: Nickolai A. Lar'kin) [35L70 \(35-02 35A01 35A02 35B35 35B40 35C20 35L20\)](#)
19. Long, Nguyen Thanh; Ngoc, Le Thi Phuong; Luan, Le Khanh; Thuyet, Tran Minh; On the nonlinear wave equation with the mixed nonhomogeneous conditions: linear approximation and asymptotic expansion of solutions. [Nonlinear Anal.](#) 71 (2009), no. 11, 5799–5819. [35L72 \(35C20 65M06\)](#)
20. Long, Nguyen Thanh; Truong, Le Xuan; Ngoc, Le Thi Phuong; High-order iterative schemes for a nonlinear Kirchhoff-Carrier wave equation associated with the mixed homogeneous conditions. [Nonlinear Anal.](#) 71 (2009), no. 1-2, 467–484. [35L70 \(35A02 35D30 35L20\)](#)
21. Long, Nguyen Thanh; Phuong Ngoc, Le Thi; Kim Hang, Le Nguyen; On a nonlinear wave equation associated with the boundary conditions involving convolution. [Nonlinear Anal.](#) 70 (2009), no. 11, 3943–3965. [35L71 \(35A01 35A02 35B35 35C20 35D30 35L20 35L70\)](#)
22. Thanh, Duong Dang Xuan; Anh, Bui The; Son, Nguyen Khoa; Stability radii of positive linear time-delay systems under fractional perturbations. [Systems Control Lett.](#) 58 (2009), no. 2, 155–159. (Reviewer: Zhanyuan Hou) [34D10 \(34K20 47N20 93D05\)](#)
23. Thanh, Duong Dang Xuan; Anh, Bui The; Son, Nguyen Khoa; A Perron-Frobenius theorem for positive polynomial operators in Banach lattices. [Positivity](#) 13 (2009), no. 4, 709–716. (Reviewer: Justin Peters) [47B65 \(39A06 46B42 47A56 93D20\)](#)
24. Trong, Dang Duc; Dinh Alain, Pham Ngoc; Nam, Phan Thanh; Tuyen, Truong Trung Determination of the body force of a two-dimensional isotropic elastic body. [J. Comput. Appl. Math.](#) 229 (2009), no. 1, 192–207. [74B05 \(35L20 35Q74\)](#)
25. Trong, Dang Duc; Tuan, Nguyen Huy Remarks on a 2-D nonlinear backward heat problem using a truncated Fourier series method. [Electron. J. Differential Equations](#) 2009, No. 77, 13

- pp. [35R25](#) ([35K20](#) [35R30](#) [47J25](#) [65M30](#))
26. [Duc Trong, Dang](#); [Huy Tuan, Nguyen](#) Regularization and error estimate for the nonlinear backward heat problem using a method of integral equation. *Nonlinear Anal.* [71](#) (2009), no. [9](#), 4167–4176. (Reviewer: Taufiquar Rahman Khan) [65M30](#) ([80M25](#))
 27. [Trong, Dang Duc](#); [Alain, Pham Ngoc Dinh](#); [Nam, Phan Thanh](#) Determine the special term of a two-dimensional heat source. *Appl. Anal.* [88](#) (2009), no. [3](#), 457–474. (Reviewer: Zhongdan Huan) [35R30](#) ([35K10](#) [35K20](#) [35R25](#) [65M30](#))
 28. [Trong, Dang Duc](#); [Quan, Pham Hoang](#); [Tuan, Nguyen Huy](#) A quasi-boundary value method for regularizing nonlinear ill-posed problems. *Electron. J. Differential Equations* [2009](#), No. 109, 16 pp. [35K91](#) ([35K20](#) [35R25](#))
 29. [Dang Duc Trong](#); [Phan Thanh Nam](#); [Mach Nguyet Minh](#) Recovering a class of entire functions and application to heat equations. *Vietnam J. Math.* [37](#) (2009), no. [2-3](#), 399–417. (Reviewer: Neil A. Watson) [35K05](#) ([30D15](#) [30E05](#) [41A05](#))
 30. [Trong, Dang Duc](#); [Tuan, Nguyen Huy](#); A new regularized method for two dimensional nonhomogeneous backward heat problem. *Appl. Math. Comput.* [215](#) (2009), no. [3](#), 873–880. [35Q79](#) ([35R30](#))
 31. [Trong, D. D.](#); [Quan, P. H.](#); [Tuan, N. H.](#) A new version of quasi-boundary value method for a 1-D nonlinear ill-posed heat problem. *J. Inverse Ill-Posed Probl.* [17](#) (2009), no. [9](#), 913–932. (Reviewer: Carlos A. de Moura) [65M30](#) ([35R30](#) [47H10](#) [47J06](#) [47N20](#))
 32. [Dang Duc Trong](#); [Nguyen Huy Tuan](#); [Pham Hoang Quan](#) Note on a paper on nonlinear inverse time heat equation in the unbounded region. *ROMAI J.* [5](#) (2009), no. [2](#), 169–180. [35K30](#) ([35K60](#) [35R30](#) [47J06](#) [47N20](#))
 33. [Nguyen-Thoi, T.](#); [Liu, G. R.](#); [Lam, K. Y.](#) A novel FEM by scaling the gradient of strains with factor α (\$\alpha\$FEM). *Comput. Mech.* [43](#) (2009), no. [3](#), 369–391. [74S05](#) ([65N30](#))
 34. [Nguyen-Thoi, T.](#); [Liu, G. R.](#); [Xu, X.](#); [Zhang, G. Y.](#); A superconvergent point interpolation method (SC-PIM) with piecewise linear strain field using triangular mesh. *Internat. J. Numer. Methods Engrg.* [77](#) (2009), no. [10](#), 1439–1467. [74S05](#) ([65N30](#))
 35. [Nguyen-Thoi, T.](#); [Liu, G. R.](#); [Lam, K. Y.](#); [Zhang, G. Y.](#) A face-based smoothed finite element method (FS-FEM) for 3D linear and geometrically non-linear solid mechanics problems using 4-node tetrahedral elements. *Internat. J. Numer. Methods Engrg.* [78](#) (2009), no. [3](#), 324–353. [74S05](#) ([65N30](#))
 36. [Nguyen, T. T. V.](#); [Strodiot, J. J.](#); [Nguyen, V. H.](#) A bundle method for solving equilibrium problems. *Math. Program.* [116](#) (2009), no. [1-2](#), Ser. [B](#), 529–552. (Reviewer: Marko M. Mäkelä) [49J40](#) ([49M27](#) [65K10](#) [90C25](#) [90C33](#))
[Nguyen, T. T. V.](#); [Strodiot, J. J.](#); [Nguyen, V. H.](#) A bundle method for solving equilibrium problems. *Math. Program.* [116](#) (2009), no. [1-2](#), Ser. [B](#), 529–552. (Reviewer: Marko M. Mäkelä) [49J40](#) ([49M27](#) [65K10](#) [90C25](#) [90C33](#))
 37. [Van Nguyen, Thi Thu](#); [Strodiot, Jean-Jacques](#); [Nguyen, Van Hien](#) The interior proximal extragradient method for solving equilibrium problems. *J. Global Optim.* [44](#) (2009), no. [2](#), 175–192. [90C33](#) ([90C51](#))

38. Huynh, Vu; Dubois, Jérôme; Yamaguchi, Yoshikazu(J-TOKYOGM) **Non-abelian Reidemeister torsion for twist knots.** (English summary) *J. Knot Theory Ramifications* 18 (2009), no. 3, 303–341. [57M25 \(57M27\)](#)